




CFC/18

PATENT



014598 (35.C14598)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

HIDEO UKUDA

Appl. No.: 09/606,522

Filed: June 30, 2000

For: OPTICAL MATERIAL AND OPTICAL  
SYSTEM USING IT

)  
:  
Examiner: Edward J. Cain  
)  
:  
Group Art Unit: 1714  
)  
:  
U.S. Patent No.: 6,759,471 B1  
)  
:  
Issued: July 6, 2004  
)  
:  
May 25, 2005

Attn.: **CERTIFICATE OF CORRECTION BRANCH**

Certificate  
MAY 31 2005  
of Correction

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR A CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050), in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

05/26/2005 SSITHIB1 00000052 6759471

01 FC:1811

100.00 DP

JUN 01 2005

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



---

Daniel S. Glueck  
Attorney for Patentee  
Registration No.: 37,838

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

DSG/lp

DC\_MAIN 181350v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DRAWINGS:

Sheet 13, Figure 14, "SILYCON" should read --SILICONE--.

Column 1

Line 37, "e.g. SPIE" should read --e.g., SPIE--.

Line 59, "Struc" should read --struc--.

Line 67, "then" should read --than--.

Column 2

Line 18, "No. 09-127321" should read -- No. 9-127321--.

Line 32, "etc. In" should read --etc. in--.

Line 47, "Publication Laid-Open No. 6-16450" should read --Application Laid-Open No. 6-16450--.

Line 53, "2-ethozy-ethyl" should read --2-ethoxy-ethyl--.

Column 3

Line 1, "region,.of" should read --region, of--.

Line 20, "O<sub>2</sub>" should read --O<sub>2</sub>)--.

Line 26, "O<sub>2</sub>" should read --O<sub>2</sub>)--.

Line 30, "inthird" should read --third--.

Column 5

Line 54, "Example 1:" should read --Example 1;--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



JUN 01 2005

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 29, " $\chi^j$ " should read -- $\chi^1$ --.

Line 41, "<40" should read -- $\leq 40$ --.

Column 7

Line 62, "an" should read --on--.

Column 8

Line 11, " $(n_d 1.38)$ " should read -- $(n_d = 1.38)$ --.

Line 14, " $\text{TiO}_2$ ," should read -- $\text{TiO}_2$ --.

Line 16, " $\text{BaTiO}_3$ ," should read -- $\text{BaTiO}_3$ --.

Line 63, "6.667" should read ---6.667--.

Column 9

Line 25, " $\text{TiO}_2$ ," should read -- $\text{TiO}_2$ --.

Line 27, " $\text{TiO}_2$ ," should read -- $\text{TiO}_2$ --.

Line 36, "In" should read --in--.

Line 37, "6.667" should read -- -6.667--.

Line 40, " $v_b$ " should read -- $v_d$ --.

Line 63, "6.667" should read -- -6.667--.

Column 10

Line 19, "with" should read --with PMMA.--.

Line 21, "6.667" should read -- -6.667--.

Column 11

Line 18, " $n_d$ " should read -- $(n_d$ --.

Line 22, "film" should read --films--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12

Line 11, "180C" should read --180°C--  
Line 19, "U1000" should read --U4000--.  
Line 42, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.  
Line 48, "(C<sub>4</sub>F<sub>9</sub>)" should read --(C<sub>4</sub>F<sub>9</sub>)<sub>3</sub>N--.  
Line 63, "is" should be deleted.

Column 13

Line 19, "reflective" should read --refractive-- and "V<sub>d</sub>" should read --v<sub>d</sub>--.  
Line 37, "N-3" should read --N-(3--.  
Line 39, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.  
Line 48, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.  
Line 57, "DK7" should read --BK7--.

Column 14

Line 16, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.  
Line 43, "1.9581" should read --1.8581--.

Column 15

Line 20, "6.667" should read -- $-6.667 \times 10^{-3} v_d + 1.70$ --.  
Line 23, "Kanabo" should read --Kanebo-- .  
Line 26, "articles" should read --particles--.  
Line 39, "(n<sub>d</sub>>1.29)" should read --(n<sub>d</sub>=1.29)--.  
Line 63, "n<sub>d</sub>" should read --(n<sub>d</sub>--.  
Line 65, "v<sub>d</sub>≤'" should read --v<sub>d</sub>≤40--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16

Line 5, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 7, "γ-methacryloxypropyltrimethoxysilane" should read  
--γ-methacryloxypropyltrimethoxysilane--.

Line 16, "((n<sub>d</sub>=1.59))" should read --(n<sub>d</sub>=1.59)--.

Line 17, "((n<sub>d</sub>=1.48))" should read --(n<sub>d</sub>=1.48)--.

Column 17

Line 34, "ethyltrimethoxysilone" should read --ethyltrimethoxysilane-- .

Line 35, "wan" should read --was--.

Line 53, "BSK7" should read --BK7--.

Column 18

Line 18, "v<sub>d</sub>" should read --v<sub>d</sub>--.

Line 30, "(n<sub>d</sub>, v<sub>d</sub>)=(1.5931)" should read --(n<sub>d</sub>, v<sub>d</sub>)=(1.5938--.

Line 46, "late;" should read --late:--.

Column 19

Line 43, "v<sub>d</sub>," should read --v<sub>d</sub>--.

Line 50, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 57, "TiO<sub>2</sub>" should read --TiO<sub>2</sub>--.

Column 20

Line 2, "on for" should read --on, or for--.

Line 24, "O<sup>2</sup>" should read --O<sub>2</sub>--.

Line 30, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 67, "due" should read --due to attachment--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21

Line 5, (Table 1), "1-30" should read --1-x--, and "O<sub>3</sub>" should read --O<sub>2</sub>--.

Line 12, (Table 1), "1.365" should read --1.366--.

Line 26, (Table 2), "93" should read --19--.

Line 27, (Table 2), "1.475 17.6" should read --1.478 17.8--.

Line 59, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Line 61, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Line 63, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Line 65, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Column 23

Line 10, "n<sub>d</sub>, v<sub>d</sub>" should read --(n<sub>d</sub>, v<sub>d</sub>)-- and "1.8581" should read --(1.8581--.

Line 12, "v<sub>d</sub>" should read --v<sub>d</sub>)--, and "1.525" should read --(1.525--.

Line 16, "(N<sub>d</sub>, v<sub>d</sub> = 1.8581" should read --(n<sub>d</sub>, v<sub>d</sub>) = (1.8581--.

Line 17, "15.6" should read --15.5--.

Line 18, "(N<sub>d</sub>, v<sub>d</sub> = 1.534" should read --(n<sub>d</sub>, v<sub>d</sub>) = (1.534--.

Line 41, "<" should read --≤--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25

Line 12, "ration" should read --ratio--.

Column 27

Line 6, "material a" should read --material, a--.

Column 28

Line 20, "22, or 23" should read --22 or 23--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page

JUN 01 2005





03500.014598 (35.C14598)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Edward J. Cain
HIDEO UKUDA	)	
	:	Group Art Unit: 1714
Appl. No.: 09/606,522	)	
	:	U.S. Patent No.: 6,759,471 B1
Filed: June 30, 2000	)	
	:	Issued: July 6, 2004
For: OPTICAL MATERIAL AND OPTICAL	)	
SYSTEM USING IT	:	May 25, 2005

**Attn.: CERTIFICATE OF CORRECTION BRANCH**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR A CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323**

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050), in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

**JUN 01 2005**

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



---

Daniel S. Glueck  
Attorney for Patentee  
Registration No.: 37,838

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

DSG/llp

DC\_MAIN 181350v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 1 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DRAWINGS:

Sheet 13, Figure 14, "SILYCON" should read --SILICONE--.

Column 1

Line 37, "e.g. SPIE" should read --e.g., SPIE--.

Line 59, "Struc" should read --struc--.

Line 67, "then" should read --than--.

Column 2

Line 18, "No. 09-127321" should read -- No. 9-127321--.

Line 32, "etc. In" should read --etc. in--.

Line 47, "Publication Laid-Open No. 6-16450" should read --Application Laid-Open No. 6-16450--.

Line 53, "2-ethozy-ethyl" should read --2-ethoxy-ethyl--.

Column 3

Line 1, "region,.of" should read --region, of--.

Line 20, "O<sub>2</sub>" should read --O<sub>2</sub>)--.

Line 26, "O<sub>2</sub>" should read --O<sub>2</sub>)--.

Line 30, "inthird" should read --third--.

Column 5

Line 54, "Example 1:" should read --Example 1;--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 2 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 29, " $\chi^j$ " should read -- $\chi^i$ --.

Line 41, "<40" should read -- $\leq 40$ --.

Column 7

Line 62, "an" should read --on--.

Column 8

Line 11, " $(n_d 1.38)$ " should read -- $(n_d = 1.38)$ --.

Line 14, " $\text{TiO}_2$ ," should read -- $\text{TiO}_2$ --.

Line 16, " $\text{BaTiO}_3$ ," should read -- $\text{BaTiO}_3$ --.

Line 63, "6.667" should read ---6.667--.

Column 9

Line 25, " $\text{TiO}_2$ ," should read -- $\text{TiO}_2$ --.

Line 27, " $\text{TiO}_2$ ," should read -- $\text{TiO}_2$ --.

Line 36, "In" should read --in--.

Line 37, "6.667" should read -- -6.667--.

Line 40, " $v_b$ " should read -- $v_d$ --.

Line 63, "6.667" should read -- -6.667--.

Column 10

Line 19, "with" should read --with PMMA.--.

Line 21, "6.667" should read -- -6.667--.

Column 11

Line 18, " $n_d$ " should read -- $(n_d$ --.

Line 22, "film" should read --films--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 3 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12

Line 11, "180C" should read --180°C--

Line 19, "U1000" should read --U4000--.

Line 42, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 48, "(C<sub>4</sub>F<sub>9</sub>)" should read --(C<sub>4</sub>F<sub>9</sub>)<sub>3</sub>N--.

Line 63, "is" should be deleted.

Column 13

Line 19, "reflective" should read --refractive-- and "V<sub>d</sub>" should read --v<sub>d</sub>--.

Line 37, "N-3" should read --N-(3--.

Line 39, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 48, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 57, "DK7" should read --BK7--.

Column 14

Line 16, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 43, "1.9581" should read --1.8581--.

Column 15

Line 20, "6.667" should read --  $-6.667 \times 10^{-3} v_d + 1.70$  --.

Line 23, "Kanabo" should read --Kanebo--.

Line 26, "articles" should read --particles--.

Line 39, "(n<sub>d</sub>>1.29)" should read --(n<sub>d</sub>=1.29)--.

Line 63, "n<sub>d</sub>" should read --(n<sub>d</sub>--.

Line 65, "v<sub>d</sub>≤'" should read --v<sub>d</sub>≤40--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page

JUN 01 2005



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 4 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16

Line 5, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 7,  $\gamma$ -methacryloxypropyltrimethoxysilane" should read  
-- $\gamma$ -methacryloxypropyltrimethoxysilane--.

Line 16, "((n<sub>d</sub>=1.59))" should read --(n<sub>d</sub>=1.59)--.

Line 17, "((n<sub>d</sub>=1.48))" should read --(n<sub>d</sub>=1.48)--.

Column 17

Line 34, "ethyltrimethoxysilone" should read --ethyltrimethoxysilane-- .

Line 35, "wan" should read --was--.

Line 53, "BSK7" should read --BK7--.

Column 18

Line 18, "v<sub>d</sub>" should read --v<sub>d</sub>--.

Line 30, "n<sub>d</sub>, v<sub>d</sub>=(1.5931" should read --(n<sub>d</sub>, v<sub>d</sub>)=(1.5938--.

Line 46, "late;" should read --late:--.

Column 19

Line 43, "v<sub>d</sub>," should read --v<sub>d</sub>--.

Line 50, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 57, "TIO<sub>2</sub>" should read --TiO<sub>2</sub>--.

Column 20

Line 2, "on for" should read --on, or for--.

Line 24, "O<sup>2</sup>" should read --O<sub>2</sub>--.

Line 30, "TiO<sub>2</sub>," should read --TiO<sub>2</sub>--.

Line 67, "due" should read --due to attachment--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 5 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21

Line 5, (Table 1), "1-30" should read --1-x--, and "O<sub>3</sub>" should read --O<sub>2</sub>--.

Line 12, (Table 1), "1.365" should read --1.366--.

Line 26, (Table 2), "93" should read --19--.

Line 27, (Table 2), "1.475 17.6" should read --1.478 17.8--.

Line 59, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Line 61, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Line 63, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Line 65, (Table 4), "N<sub>d</sub>" should read --n<sub>d</sub>--.

Column 23

Line 10, "n<sub>d</sub>v<sub>d</sub>" should read --(n<sub>d</sub>v<sub>d</sub>)-- and "1.8581" should read --(1.8581--.

Line 12, "v<sub>d</sub>" should read --v<sub>d</sub>)--, and "1.525" should read --(1.525--.

Line 16, "(N<sub>d</sub>v<sub>d</sub> = 1.8581" should read --(n<sub>d</sub>v<sub>d</sub>) = (1.8581--.

Line 17, "15.6" should read --15.5--.

Line 18, "(N<sub>d</sub>v<sub>d</sub>=1.534" should read --(n<sub>d</sub>v<sub>d</sub>) = (1.534--.

Line 41, "<" should read --≤--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page

JUN 01 2005



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,759,471 B1

DATED : July 6, 2004

INVENTOR(S) : HIDEO UKUDA

Page 6 of 6

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25

Line 12, "ration" should read --ratio--.

Column 27

Line 6, "material a" should read --material, a--.

Column 28

Line 20, "22, or 23" should read --22 or 23--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,759,471 B1

No. of add'l. copies  
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

DSG\lp DC\_MAIN 181354

JUN 01 2005



Staple  
Here  
Only!

PRINTER'S TRIM LINE